intertek
Total Quality. Assured.

Test Report Number: ZHCJ24000357001

Applicant: Shijiazhuang Ditiantai Electronic Commerce Co., Ltd. No. 251 Zhonghua South Street, Shijiazhuang, Hebei, China

Date: February 19, 2025

Sample Description:

Item Name : **Face Paint - Black,White,Phth Blue,Spring Blue,Rose,Arts Red**
Test Type : Entrusted Test
Date Sample Received : December 27, 2024
Testing Period : December 27, 2024 to February 19, 2025

****

Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

****

Intertek GM Testing Service Zhuhai Co.Ltd.

Maggie Liu

Maggie Liu
Technical Supervisor
Healthcare and Beauty Products

INTERTEK GM TESTING SERVICE ZHUHAI CO.,LTD. 珠海天祥粤澳质量技术服务有限公司 报告专用章

Intertek GM Testing Service Zhuhai Co.Ltd.
珠海天祥粤澳质量技术服务有限公司

601, R&D and Testing Building, Guangdong Macau Medical Science and Technology Industrial Park, No.2682 HuanDao North Road, HengQin New Area,Zhuhai,GD.China,519031
中国珠海市横琴新区环岛北路 2682 号粤澳合作中医药科技产业园研发检测大楼 601，519031

Tel:+86756 2167557
www.intertek.com.cn
www.intertek.com

Conclusion:

Tested Sample	Standard	Result
Tested component(s) of submitted sample(s)	European Cosmetic Regulation (EC) No.1223/2009 Annex I Part A 3, Microbiological control criteria of the cosmetic products	PASS

Intertek GM Testing Service Zhuhai Co.Ltd.
珠海天祥粤澳质量技术服务有限公司
601, R&D and Testing Building, Guangdong Macau Medical Science and Technology Industrial Park, No.2682 HuanDao North Road, HengQin New Area,Zhuhai,GD.China,519031
中国珠海市横琴新区环岛北路 2682 号粤澳合作中医药科技产业园研发检测大楼 601，519031
Tel:+86756 2167557
www.intertek.com.cn
www.intertek.com

Test Report

Number: ZHCJ24000357001

Microbiological examination

No.	Test Item	Unit	MDL	Test Method	Limit	Test Result (1)+(2)+(3)
1	*Candida albicans*	/g	——	European Pharmacopoeia 11.0 Edition, Chapter 2.6.13	Absent	Absent
2	*Escherichia coli*	/g	——	European Pharmacopoeia 11.0 Edition, Chapter 2.6.13	Absent	Absent
3	*Staphylococcus aureus*	/g	——	European Pharmacopoeia 11.0 Edition, Chapter 2.6.13	Absent	Absent
4	Moulds and Yeasts	CFU/g	——	European Pharmacopoeia 11.0 Edition, Chapter 2.6.12	——	<10
5	Bile-tolerant gram-negative bacteria	/g	——	European Pharmacopoeia 11.0 Edition, Chapter 2.6.13	——	Absent
6	*Salmonella*	/10g	——	European Pharmacopoeia 11.0 Edition, Chapter 2.6.13	——	Absent
7	*Clostridia*	/g	——	European Pharmacopoeia 11.0 Edition, Chapter 2.6.13	——	Absent
8	*Pseudomonas aeruginosa*	/g	——	European Pharmacopoeia 11.0 Edition, Chapter 2.6.13	Absent	Absent
9	Total aerobic microbial count	CFU/g	——	European Pharmacopoeia 11.0 Edition, Chapter 2.6.12	——	<10
10	Total aerobic microbial count+Moulds and Yeasts	CFU/g	——	European Pharmacopoeia 11.0 Edition, Chapter 2.6.12	≤ 1000	<10

No.	Test Item	Unit	MDL	Test Method	Limit	Test Result (4)+(5)+(6)
1	*Candida albicans*	/g	——	European Pharmacopoeia 11.0 Edition, Chapter	Absent	Absent

Intertek GM Testing Service Zhuhai Co.Ltd.
珠海天祥粤澳质量技术服务有限公司
601, R&D and Testing Building, Guangdong Macau Medical Science and Technology Industrial Park, No.2682 HuanDao North Road, HengQin New Area,Zhuhai,GD.China,519031
中国珠海市横琴新区环岛北路 2682 号粤澳合作中医药科技产业园研发检测大楼 601，519031
Tel:+86756 2167557
www.intertek.com.cn
www.intertek.com

				2.6.13		
2	*Escherichia coli*	/g	——	European Pharmacopoeia 11.0 Edition, Chapter 2.6.13	Absent	Absent
3	*Staphylococcus aureus*	/g	——	European Pharmacopoeia 11.0 Edition, Chapter 2.6.13	Absent	Absent
4	Moulds and Yeasts	CFU/g	——	European Pharmacopoeia 11.0 Edition, Chapter 2.6.12	——	<10
5	Bile-tolerant gram-negative bacteria	/g	——	European Pharmacopoeia 11.0 Edition, Chapter 2.6.13	——	Absent
6	*Salmonella*	/10g	——	European Pharmacopoeia 11.0 Edition, Chapter 2.6.13	——	Absent
7	*Clostridia*	/g	——	European Pharmacopoeia 11.0 Edition, Chapter 2.6.13	——	Absent
8	*Pseudomonas aeruginosa*	/g	——	European Pharmacopoeia 11.0 Edition, Chapter 2.6.13	Absent	Absent
9	Total aerobic microbial count	CFU/g	——	European Pharmacopoeia 11.0 Edition, Chapter 2.6.12	——	80
10	Total aerobic microbial count+Moulds and Yeasts	CFU/g	——	European Pharmacopoeia 11.0 Edition, Chapter 2.6.12	≤ 1000	80

Note：

The limit for Total aerobic bacteria count+Moulds and yeasts is reference to the notes of guidelines on microbiological quality of the finished cosmetic products adopted by Scientific Committee on Consumer Safety (SCCS, 12th Rev., 2023) of the European Commission, Microbiological Quantitative Limits for Cosmetic Products.
Category A: Cosmetic products specifically intended for children under 3 years, eye area and mucous membranes.
Category B: Other cosmetic products.

Maximum acceptance limit of total aerobic bacteria count+Moulds and yeasts≤ 2000

Note:Because the above samples had been mixed and tested as one testing item as requested by the applicant, the testing result is for the mixed samples, instead of any individual one.

Test components list:

(1)Black paste

Intertek GM Testing Service Zhuhai Co.Ltd.
珠海天祥粤澳质量技术服务有限公司
601, R&D and Testing Building, Guangdong Macau Medical Science and Technology Industrial Park, No.2682 HuanDao North Road, HengQin New Area,Zhuhai,GD.China,519031
中国珠海市横琴新区环岛北路 2682 号粤澳合作中医药科技产业园研发检测大楼 601，519031
Tel:+86756 2167557
www.intertek.com.cn
www.intertek.com

(2)White paste
(3)Path blue paste
(4)Spring blue paste
(5)Rose paste
(6)Arts red paste


Note :

CFU = Colony Forming Unit

Sample received condition: Sample in closed plastic bag

Test Photo:





****

End of Report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct. This report shall not be reproduced unless with prior written approval from Intertek GM Testing Services Zhuhai Co.,Ltd. The testing data and result issued by this report are just for scientific research, teaching, internal quality control, product research and development etc. on reference only in the territory of the People's Republic of China

Intertek GM Testing Service Zhuhai Co.Ltd.
珠海天祥粤澳质量技术服务有限公司

601, R&D and Testing Building, Guangdong Macau Medical Science and Technology Industrial Park, No.2682 HuanDao North Road, HengQin New Area,Zhuhai,GD.China,519031
中国珠海市横琴新区环岛北路 2682 号粤澳合作中医药科技产业园研发检测大楼 601，519031

Tel:+86756 2167557
www.intertek.com.cn
www.intertek.com

intertek
Total Quality. Assured.

Test Report Number: ZHCJ25000298001

Applicant: Shijiazhuang Ditiantai Electronic Commerce Co., Ltd. No. 251 Zhonghua South Street, Shijiazhuang, Hebei, China

Date: February 20, 2025

Sample Description:

Item Name : **Face Paint - Lemon Yellow, Carrot Orange, Antler Brown**
Test Type : Entrusted Test
Date Sample Received : February 10, 2025
Testing Period : February 10, 2025 to February 20, 2025

****

Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

****

Intertek GM Testing Service Zhuhai Co.Ltd.

Maggie Liu

Maggie Liu
Technical Supervisor
Healthcare and Beauty Products

INTERTEK GM TESTING SERVICE ZHUHAI CO.,LTD. 珠海天祥粤澳质量技术服务有限公司 报告专用章

Intertek GM Testing Service Zhuhai Co.Ltd.
珠海天祥粤澳质量技术服务有限公司

601, R&D and Testing Building, Guangdong Macau Medical Science and Technology Industrial Park, No.2682 HuanDao North Road, HengQin New Area,Zhuhai,GD.China,519031
中国珠海市横琴新区环岛北路2682号粤澳合作中医药科技产业园研发检测大楼601，519031

Tel:+86756 2167557
www.intertek.com.cn
www.intertek.com

Conclusion:

Tested Sample	Standard	Result
Tested component(s) of submitted sample(s)	European Cosmetic Regulation (EC) No.1223/2009 Annex I Part A 3, Microbiological control criteria of the cosmetic products	PASS

Intertek GM Testing Service Zhuhai Co.Ltd.
珠海天祥粤澳质量技术服务有限公司

601, R&D and Testing Building, Guangdong Macau Medical Science and Technology Industrial Park, No.2682 HuanDao North Road, HengQin New Area,Zhuhai,GD.China,519031
中国珠海市横琴新区环岛北路2682号粤澳合作中医药科技产业园研发检测大楼601，519031

Tel:+86756 2167557
www.intertek.com.cn
www.intertek.com

intertek
Total Quality. Assured.

Test Report Number: ZHCJ25000298001

Microbiological examination

No.	Test Item	Unit	MDL	Test Method	Limit	Test Result (1)+(2)+(3)
1	Total aerobic microbial count	CFU/g	——	European Pharmacopoeia 11.0 Edition, Chapter 2.6.12	——	<10
2	Moulds and Yeasts	CFU/g	——	European Pharmacopoeia 11.0 Edition, Chapter 2.6.12	——	<10
3	Total aerobic microbial count+Moulds and Yeasts	CFU/g	——	European Pharmacopoeia 11.0 Edition, Chapter 2.6.12	——	<10
4	*Escherichia coli*	/g	——	European Pharmacopoeia 11.0 Edition, Chapter 2.6.13	Absent	Absent
5	*Pseudomonas aeruginosa*	/g	——	European Pharmacopoeia 11.0 Edition, Chapter 2.6.13	Absent	Absent
6	*Staphylococcus aureus*	/g	——	European Pharmacopoeia 11.0 Edition, Chapter 2.6.13	Absent	Absent
7	*Candida albicans*	/g	——	European Pharmacopoeia 11.0 Edition, Chapter 2.6.13	Absent	Absent
8	Bile-tolerant gram-negative bacteria	/g	——	European Pharmacopoeia 11.0 Edition, Chapter 2.6.13	——	Absent
9	*Salmonella*	/10g	——	European Pharmacopoeia 11.0 Edition, Chapter 2.6.13	——	Absent
10	*Clostridia*	/g	——	European Pharmacopoeia 11.0 Edition, Chapter 2.6.13	——	Absent

Note :

The limit for Total aerobic bacteria count+Moulds and yeasts is reference to the notes of guidelines on microbiological quality of the finished cosmetic products adopted by Scientific Committee on Consumer Safety (SCCS, 12th Rev., 2023) of the European Commission, Microbiological Quantitative Limits for Cosmetic Products. Category A: Cosmetic products specifically intended for children under 3 years, eye area and mucous membranes. Category B: Other cosmetic products.

Maximum acceptance limit of total aerobic bacteria count+Moulds and yeasts≤2000

Test components list:

(1)Lemon yellow paste

(2)Carrot orange paste

(3)Antler brown paste

Note :

CFU = Colony Forming Unit


Because the above samples had been mixed and tested as one testing item as requested by the applicant, the testing result is for the mixed samples, instead of any individual one.

Intertek GM Testing Service Zhuhai Co.Ltd.
珠海天祥粤澳质量技术服务有限公司
601, R&D and Testing Building, Guangdong Macau Medical Science and Technology Industrial Park, No.2682 HuanDao North Road, HengQin New Area,Zhuhai,GD.China,519031
中国珠海市横琴新区环岛北路2682号粤澳合作中医药科技产业园研发检测大楼601，519031
Tel:+86756 2167557
www.intertek.com.cn
www.intertek.com

Test Report Number: ZHCJ25000298001

Sample received condition: Sample in closed original package

Test Photo:



****

End of Report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct. This report shall not be reproduced unless with prior written approval from Intertek GM Testing Services Zhuhai Co.,Ltd. The testing data and result issued by this report are just for scientific research, teaching, internal quality control, product research and development etc. on reference only in the territory of the People's Republic of China

Intertek GM Testing Service Zhuhai Co.Ltd.
珠海天祥粤澳质量技术服务有限公司

601, R&D and Testing Building, Guangdong Macau Medical Science and Technology Industrial Park, No.2682 HuanDao North Road, HengQin New Area,Zhuhai,GD.China,519031
中国珠海市横琴新区环岛北路2682号粤澳合作中医药科技产业园研发检测大楼601，519031

Tel:+86756 2167557
www.intertek.com.cn
www.intertek.com